

Contents lists available at ScienceDirect

International Journal of Infectious Diseases

INTERNATIONAL SOCIETY FOR INFECTIOUS DISEASES

journal homepage: www.elsevier.com/locate/ijid

Short Communication

Applications of Google Search Trends for risk communication in infectious disease management: A case study of the COVID-19 outbreak in Taiwan



Atina Husnayain^{a,b}, Anis Fuad^b, Emily Chia-Yu Su^{a,c,d,*}

- a Graduate Institute of Biomedical Informatics, College of Medical Science and Technology, Taipei Medical University, Taipei, Taiwan
- Department of Biostatistics, Epidemiology, and Population Health, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada, Yogyakarta, Indonesia
- ^c Clinical Big Data Research Center, Taipei Medical University Hospital, Taipei, Taiwan
- ^d Research Center for Artificial Intelligence in Medicine, Taipei Medical University, Taipei, Taiwan

ARTICLE INFO

Article history: Received 21 February 2020 Received in revised form 6 March 2020 Accepted 6 March 2020

Keywords: Google Trends Risk communication COVID-19 Taiwan

ABSTRACT

Objective: An emerging outbreak of a novel coronavirus, COVID-19, has now been detected in at least 211 countries worldwide. Given this pandemic situation, robust risk communication is urgently needed, particularly in affected countries. Therefore, this study explored the potential use of Google Trends (GT) to monitor public restlessness toward COVID-19 infection in Taiwan.

Methods: We retrieved GT data for the specific locations and subregions in Taiwan nationwide using defined search terms related to the coronavirus, handwashing, and face masks.

Results: Searches related to COVID-19 and face masks in Taiwan rapidly increased following the announcements of Taiwan's first imported case and reached a peak as locally acquired cases were reported. However, searches for handwashing gradually increased during the period of face-mask shortage. Moreover, high to moderate correlations between Google relative search volumes (RSVs) and COVID-19 cases were found in Taipei (lag-3), New Taipei (lag-2), Taoyuan (lag-2), Tainan (lag-1), Taichung (lag0), and Kaohsiung (lag0).

Conclusion: In response to the ongoing outbreak, our results demonstrated that GT could potentially define the proper timing and location for practicing appropriate risk communication strategies for affected populations.

© 2020 The Author(s). Published by Elsevier Ltd on behalf of International Society for Infectious Diseases. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

Introduction

As of April 6, 2020, the World Health Organization (WHO) reported there were 1,210,956 laboratory-confirmed cases of COVID-19 (World Health Organization, 2020). The infection was declared a public health emergency of international concern (PHEIC) on January 30, 2020 (World Health Organization, 2020c) and the disease has spread to at least 211 different countries (World Health Organization, 2020). Given this pandemic situation, robust risk communication is urgently needed particularly in affected countries. Therefore, this study explored the potential use

E-mail address: emilysu@tmu.edu.tw (E.C.-Y. Su).

of Google Trends (GT) for monitoring public restlessness toward COVID-19 infections in Taiwan.

Methods

Terms from GT related to coronavirus, handwashing, and face masks were collected from December 5, 2019 to February 8, 2020. These search terms represented searches for information on COVID-19 and the practice of personal hygiene in order to prevent disease transmission. Data on relative search volumes (RSVs) were filtered by geographic region in Taiwan. GT data were then compared with daily data on COVID-19 cases that were obtained from the Taiwan Centers for Disease Control's website. Moving averages with an interval of three days of GT queries and number of COVID-19 cases were plotted to observe trends along the period of observation. This moving average method was used to facilitate comparison of trends among datasets. Time-lag correlations were utilized to assess whether increases in GT data were correlated

^{*} Corresponding author at: Graduate Institute of Biomedical Informatics, College of Medical Science and Technology, Taipei Medical University, Taipei, Taiwan. Postal address: 172-1, Keelung Rd., Sec. 2, Taipei 106, Taiwan. Phone number: +886-2-66382736 ext. 1515.

with the subsequent increase in COVID-19 cases, as previously applied in another study (Shin et al., 2016).

Results and discussion

COVID-19-related searches in Taiwan remained low in the period after the first case was detected on December 12, 2019 in Wuhan, China (CNN, 2020) and continuously increased after the announcements of Taiwan's first imported case on January 21, 2020 (Taiwan CDC, 2020). This same trend occurred worldwide and in China (Strzelecki, 2020). COVID-19-related searches in Taiwan continued to expand and reached a peak on January 30, 2020 as locally acquired cases were reported, and the WHO declared the disease as PHEIC. It took two weeks for COVID-19-related searches to reach a peak, and they continuously declined afterwards due to massive availability of information provided by online news reporting, video/radio news reporting, and health expert reporting (Keller et al., 2009) in the first week of February 2020, which was identified as the peak of the outbreak in the observation period.


In addition, face masks-related searches in Mandarin also increased as COVID-19-related searches increased. Public restlessness seemed to be driving immense purchases of face masks that led to shortages of face mask in Taiwan. This forced the Taiwanese government to loosen restrictions on surgical mask imports (Pan and Chiang, 2020). Due to massive panic buying of masks, the Taiwanese government announced on February 3 that face masks would be distributed through National Health

Insurance (NHI)-contracted pharmacies and drugstores begining on February 6, 2020. This policy might have also corresponded with a decline inmasks-related searches after point D in Figure 1 (Taiwan CDC, 2020).

Otherwise, searches for handwashing-related information were relatively stable at 20 points and quickly increased in the fourth week of January 2020. These searches gradually increased as COVID-19 and face masks-related searches were declining. This condition indicated that people were still gathering information about necessary handwashing practices for personal hygiene and protection while lacking face masks.

According to Figure 1, the dynamics of GT data in Taiwan were related to vulnerability due to confirmation of local transmission of COVID-19 and public restlessness given the announcement of the international warning by the WHO. Therefore, GT data can be used to frame the proper timing for communications of risks to the public. Additionally, Figure 2 shows huge numbers of COVID-19 searches in six cities including Taipei (100 points), New Taipei (73 points), Taoyuan (85 points), Taichung (80 points), Tainan (82 points), and Kaohsiung (87 points)."coronavirus 中文" was the term with the highest Spearman's rank correlation coefficient. This keyword represented a strong tendency of Taiwanese people to search for information in Mandarin for disease- and symptom-related information. Accordingly, GT data could also depict the information requested by users based on keyword utilization.

In the lag period, high to moderate correlations between Google RSVs and COVID-19 cases were found in Taipei (lag-3), New Taipei




Note: A: First case is reported in Wuhan [Dec 12th, 2019]

B: First imported case is reported in Taiwan [Jan 21th, 2020]

C: 1st and 2nd local cases are reported in Taiwan [Jan 28th and 30th 2020]

D: WHO declares the outbreak of COVID-19 as Public Health Emergency of International Concern [Jan 30th, 2020]






Figure 1. Time series of Google relative search volumes (RSVs) related to COVID-19 and COVID-19 cases in Taiwan.




Figure 2. Time-lag correlations between Google relative search volumes (RSVs) related to COVID-19 and COVID-19 cases in Taiwan.

(lag-2), Taoyuan (lag-2), and Tainan (lag-1). These findings reflect increases in "googling" activities in one to three days before the increase in COVID-19 cases occured. In Taichung and Kaohsiung, information searches increased the same day as the increase in cases occured. Moreover, a distinct phenomenon was found in New Taipei City which indicated an increase in Google searches was still found two days after the increase in COVID-19 cases.

These findings indicate that GT can be used as a tool to monitor public restlessness toward COVID-19 infections in Taiwan at a range of one to three days before the number of confirmed cases increased. In addition, the Taiwan Network Information Center (TNIC, 2019) reported that Internet users in Taiwan have reached 82%, or 17.38 million people. Interestingly, the proportions of Internet users and mobile users were higher in Northern (86.1% and81.5%) and Central Taiwan (82.2% and 77.1%) compared to Southern Taiwan (75.8% and 71%, respectively). The number of Internet users in specific location could determine the volume of Internet searches. Thus, the Northern part of Taiwan, which has a higher proportion of Internet users commonly had higher correlations, compared to Central and Southern cities.

Providing proper information during an outbreak through risk communication is urgently needed. Appropriate risk communication can help prevent "infodemics" (World Health Organization, 2020b) or an excessive amount of information circulating in affected populations which might induce public restlessness or panic. In response to the ongoing outbreak, our results demonstrated that GT can potentially define the proper timing and location of risk communications.

Conflict of interest

No competing interest declared.

Funding source

This study was funded in part by the Ministry of Science and Technology (MOST) in Taiwan (grant no. MOST108-2221-E-038-018) and the Higher Education Sprout Project by Ministry of Education

(MOE) in Taiwan (grant no. DP2-108-21121-01-A-01-04) to Emily Chia-Yu Su. The sponsor had no role in the research design or contents of the manuscript for publication.

Ethical approval

No need for ethical approval as used of anonymous open data.

Acknowledgments

We gratefully thank the Taiwan Centers for Disease Control for providing COVID-19-related information.

References

CNN. A new virus related to SARS is the culprit in China's mysterious pneumonia outbreak, scientists say. 2020 Available from: https://edition.cnn.com/2020/01/08/health/china-wuhan-pneumonia-virus-intl-hnk/index.html [accessed 17.02.20].

Keller M, Blench M, Tolentino H, Freifeld CC, Mandl KD, Mawudeku A, et al. Use of unstructured event-based reports for global infectious disease surveillance. Emerg Infect Dis 2009;15(5):689–95.

Pan TY, Chiang YC. Taiwan loosens restrictions on surgical mask imports. GlobalSecurity.org; 2020 Available from: https://www.globalsecurity.org/security/library/news/2020/02/sec-200203-cna03.htm [accessed 02.03.20].

Shin SY, Seo DW, An J, Kwak H, Kim SH, Gwack J, et al. High correlation of Middle East respiratory syndrome spread with Google search and Twitter trends in Korea. Sci Rep 2016;6:32920.

Strzelecki A. Infodemiological study using Google Trends on coronavirus epidemic in Wuhan. China. 2020 arXiv preprint 2020.

Taiwan CDC. Press releases: COVID-19. 2020 Available from: https://www.cdc.gov.tw/En/Bulletin/List/7tUXjTBf6paRvrhEl-mrPg [accessed 17.02.20].

TNIC. Overall internet usage status in Taiwan. 2019 Available from: https://report.twnic.tw/2018/TrendAnalysis_internetUsage_en.html [accessed 17.02.20].

World Health Organization. Coronavirus disease 2019 (COVID-19): situation report – 77. World Health Organization; 2020.

World Health Organization. Risk communication and community engagement (RCCE) readiness and response to the 2019 novel coronavirus (2019-nCoV). World Health Organization; 2020. p. 1–3.

World Health Organization. Statement on the second meeting of the International Health Regulations (2005) Emergency Committee regarding the outbreak of novel coronavirus (2019-nCoV). 2020 Available from: https://www.who.int/news-room/detail/30-01-2020-statement-on-the-second-meeting-of-the-international-health-regulations-(2005)-emergency-committee-regarding-the-outbreak-of-novel-coronavirus-(2019-ncov) [accessed 17.02.20].